


Elys Workstation L1400 Quick Setup Guide

CONTENTS CHECKLIST


Name	Qty.
L1400 Smart Desktop Terminal	1
Power Adapter	1
AC Power Cable	1
Mounting Plate	1
Mounting Screws and Thumb Nuts	4
T3400 Elys Hub	1

PRODUCT DESCRIPTION


Front View




Back View




Left View



Top View



Bottom View



INSTRUCTIONS

Power ON/OFF


- **Power ON:** Press and hold the power button down for 2 seconds until the LCD backlight turns on. The terminal has successfully been powered on.
- **Power OFF:** Press and hold the power button down for 3 to 5 seconds until the shutdown menu pops up. Select "Power off" to shut down the terminal.

ELYS STATION INSTALLATION


- **Type-C Port:** Connect Power Adapter/Elys Hub/USB Device.
- **8 pin pogo pin port:** Connect Elys Tablet device.
- **6 pin pogo pin port:** Connect D135 device.

MOUNTING PLATE INSTALLATION

Tear off the tape on the back of the mounting plate and stick it to the table or fix it to the table with 4 screws.



Place the station vertically against the mounting plate, then firmly press the area pointed by the arrow and the station will be automatically locked to the mounting plate.




MOUNTING PLATE REMOVAL

To remove the station, press the button pointed by the arrow and pick up the station vertically.




POWER ADAPTER AND ELYS HUB INSTALLATION

How it Works 1:



How it Works 2:



INSTRUCTIONS

- **Power On:** Press and hold the Power Button (on the top) for three seconds until the main screen displays normally.

- **Power Off:** Press and hold the Power Button (on the top) for three seconds until the shutdown menu appears. Tap “Shutdown”. The terminal will shut down after a few seconds.

Specification

- **Operation System:** Android 11
- **CPU:** Qcta-core, 2.0 GHz processor
- **Memory:** 4GB RAM + 64GB Flash Memory
- **Display:** 14 inch, resolution 1920 x 1080, multi-touch capacitive touch screen
- **Audio:** Built-in dual speaker/Built-in dual MIC
- **Fingerprint:** Side finger ID
- **Camera:** 5 mega-pixel auto-focusing camera
- **Wireless Communication:** Support Wi-Fi® 2.4/5G, Bluetooth® 5.0
- **Peripheral Ports:** 2 Type-C Ports, 1 8 pin pogo pin port, 1 6 pin pogo pin port

CLEANING THE DEVICE

- Do not use industrial strength or abrasive cleaner as it may damage or scratch the screen.
- Do not immerse the device in water or liquid.
- Do not spray water or cleaner into EMV Card Reader or ports.
- To clean the screen, apply distilled water or mild glass cleaner onto a soft, lint-free cloth and gently wipe terminal.

ENVIRONMENTAL PARAMETERS

- **Working Environment:** Temperature: 0°~50° (14°~122°) (non-charging)
- **Storage Environment:** Temperature: -20°~70° (-4°~158°) (non-charging)
- **Humidity:** 5%~95% (non-condensing)

For non-5GWiFi version

FCC Compliance statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that

may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC SAR statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA). These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body

ISED compliance statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s).

Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) L'appareil ne doit pas produire de brouillage;
- (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

ISED compliance statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with

Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) L'appareil ne doit pas produire de brouillage;
- (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The user manual for LE-LAN devices shall contain instructions related to the restrictions mentioned in the above sections, namely that:

- i. the device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- ii. where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

- i. le dispositif utilisé dans la bande 5150-5250 MHz est réservé à une utilisation en intérieur afin de réduire le risque de brouillage préjudiciable aux systèmes mobiles par satellite dans le même canal;
- ii. l'élé (s) d'antenne et l'angle (s) d'inclinaison le plus défavorable nécessaire (s) pour rester conforme (e) au p.e. L'exigence relative au masque d'élévation énoncée à la section 6.2.2.3 doit être clairement indiquée.

IC SAR statement

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. L'utilisateur final doit suivre les instructions spécifiques pour satisfaire les normes. Cet émetteur ne doit pas être co-implanté ou fonctionner en conjonction avec toute autre antenne ou transmetteur.

Le dispositif portatif est conçu pour répondre aux exigences d'exposition aux ondes radio établie par le développement énergétique DURABLE. Ces exigences un SAR limite de 1,6 W/kg en moyenne pour un gramme de tissu. La valeur SAR la plus élevée signalée en vertu de cette norme lors de la certification de produit à utiliser lorsqu'il est correctement porté sur le corps.



Trademark notice:

"microSD logo is a trademark of SD-3C LLC."

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by PAX Technology, Inc. is under license. Other trademarks and trade names are those of their respective owners.

PAX Technology Inc reserves the right to change product technology specifications without notification.